ELSEVIER

Volume 182, Issues 1–3, 2 February 2007

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

A novel laminate combined with elasticity and damping 1
Z. Li, Y.L. Jia, N. Tang, M. Fang, N. Liu

Control and use of wrinkles in tube hydroforming 6
S. Yuan, X. Wang, G. Liu, Z.R. Wang

Overinjection of thermoplastic composites. I. Processing and testing of components 12
A.M. Harte, J.F. Mc Namara

Overinjection of thermoplastic composites. II. Numerical simulation 21
A.M. Harte, J.F. Mc Namara

Investigation of morphology and composition of plasma electrolytic oxidation coatings in systems of Na_2SiO_3–NaOH and $(NaPO_3)_6$–NaOH 28
W.-C. Gu, G.-H. Lv, H. Chen, G.-L. Chen, W.-R. Feng, G.-L. Zhang, S.-Z. Yang

Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics 34
G. Hou, Z. Jin, J. Qian

Computer modelling and tooling design for near net shaped components using hot isostatic pressing 39
W.X. Yuan, J. Mei, V. Samarov, D. Seliverstov, X. Wu

A new processing technique for copper–graphite multifilamentary nanocomposite wire: Microstructures and electrical properties 50
A. Guillet, E.Y. Nzoma, P. Pareige

Optimization of the electrolytic plasma oxidation processes for corrosion protection of magnesium alloy AM50 using the Taguchi method 58
Y. Ma, H. Hu, D. Northwood, X. Nie

A study on the mechanical properties for developing a computer simulation model for heat treatment process 65
K.O. Lee, J.M. Kim, M.H. Chin, S.S. Kang

A numerical sensitivity study to determine the main influence parameters on the back-end defect 73
T. Hatzenbichler, B. Buchmayr, A. Umgeher

Influence factors of ball milling process on BE powder for reaction sintering of TiB/Ti–4.0Fe–7.3Mo composite 79
H. Feng, D. Jia, Y. Zhou

Influence of low-strain deformation characteristics of high strength sheet steel on curl and springback in bend-under-tension tests 84
T.B. Hilditch, J.G. Speer, D.K. Matlock

The effect of partial decanting on the chemical composition of semi-solid hypo-eutectic Al–Si alloys during solidification 95
O. Lashkari, S. Nafisi, J. Langlais, R. Ghomashchi

Heat transfer analysis of hot-rolled coils in multi-stack storing 101
A. Saboonchi, S. Hassanpour

Optimizing multiple quality characteristics via Taguchi method-based Grey analysis 107
L.K. Pan, C.C. Wang, S.L. Wei, H.F. Sher

Processing of polycaprolactone porous structure for scaffold development 117
B.Y. Tay, S.X. Zhang, M.H. Myint, F.L. Ng, M. Chandrasekaran, L.K.A. Tan

Comparison of friction and wear performances of brake material dry sliding against two aluminum matrix composites reinforced with different SiC particles 122
S. Zhang, F. Wang

Research of electroplastic rolling of AZ31 Mg alloy strip 128
Z. Xu, G. Tang, S. Tian, F. Ding, H. Tian

Elsevier B.V.

Effect of hexagonal BN on the microstructure and mechanical properties of Si_3N_4 ceramics 134
Y. Sun, Q. Meng, D. Jia, C. Guan

Estimation of material removal with the help of pad deformation in planarization process 139
T.-L. Horng

An investigation of fretting wear behaviors of bonded solid lubricant coatings 146
J. Xu, Z.R. Zhou, C.H. Zhang, M.H. Zhu, J.B. Luo

Heat transfer and solidification behaviour of modified A357 alloy 152
G. Kumar, S. Hegde, K.N. Prabhu

Novel method to investigate the critical depth of cut of ground silicon wafer 157
H.T. Young, H.-T. Liao, H.-Y. Huang

Extrude-curving forming process of magnesium alloy thick plate coated with steel plate 163
L. Liu, C. Dong, G. Song

Prediction of shear angle for continuous orthogonal cutting using thermo-mechanical constants of work material and cutting conditions ... 167
A. Toropov, S.-L. Ko

Deformation behaviors of porous 4032 Al alloy preform prepared by spray deposition during hot rolling 174
M.-Y. Zhan, Z.-H. Chen, H.-G. Yan, W.-J. Xia

Finite element design of MgO/Ni system functionally graded materials 181
F. Chen, W. Jie

Effect of low-frequency magnetic field on microstructures and macrosegregation of horizontal direct chill casting 7075 aluminum alloy 185
Z. Zhao, J. Cui, J. Dong, B. Zhang

Side-wall thickness in draw die forming 191
B. Logue, M. Dingle, J.L. Duncan

Characterization of newly developed structural DMR-1700 steel and comparison with different steels for chemical applications 195
I. Gurrappa, C.V.K. Reddy

Evolution of the bond interface during ultrasonic Al–Si wire wedge bonding process 202
H. Ji, M. Li, C. Wang, J. Guan, H.S. Bang

Properties and deformation behaviour of severe plastic deformed aluminium alloys 207
P. Leo, E. Cerri, P.P. De Marco, H.J. Roven

Effect of rolling on tensile flow and fracture of Al–4.5Cu–3.4Fe cast composite 215
S. Ahmed, Q. Ahsan, A.S.W. Kurny

A study on quantitative formability assessment of rheological materials based on the microstructural characterization with a moderate control of the process 220
H.-K. Jung, H.-G. Kim, C.-G. Kang

The implication of rheology in semi-solid metal processes: An overview 229
O. Lashkari, R. Ghomashchi

Prediction of cutting force in end-milling operation of modified AISI P20 tool steel 241
K.A. Abou-El-Hossein, K. Kadirgama, M. Hamdi, K.Y. Benyounis

Modelling of the post-localization behaviour in tube hydroforming of low carbon steels 248
D. Daly, P. Duroux, M. Rachik, J.M. Roelandt, J. Wilsius

The thermal stability and mechanical behaviors of Zr–Cu–Ni–Ti–Be bulk metallic glasses 257
C.-H. Tsau, C.-C. Wu, S.-S. Wu

The optimization of the variable binder force in U-shaped forming with uncertain friction coefficient 262
C. Jiang, X. Han, G.R. Liu, G.Y. Li

A model for PEG removal from alumina injection moulded parts by solvent debinding 268
V.A. Krauss, A.A.M. Oliveira, A.N. Klein, H.A. Al-Qureshi, M.C. Fredel

Prediction of microstructure evolution of Al–1% Mg alloy during hot forming and sequential heat treatment 274
W.G. Jiang, G.C. Wang, S.Q. Lu, J.W. Li

Effects of extrusion ratio on the microstructure and mechanical properties of AZ31 Mg alloy 281
Y. Chen, Q. Wang, J. Peng, C. Zhai, W. Ding

A model for the simulation of powder compaction processes 286
R. Rossi, M.K. Alves, H.A. Al-Qureshi

Microstructural characterization and microscopy analysis of laser cladding Stellite12 and tungsten carbide 297
K.A. Chiang, Y.C. Chen

Analysis of torsional deformation by rigid-plastic finite element method using recurrent boundary conditions 303
Y.-B. Park, D.-Y. Yang

Evaluation of a heat flux sensor for spray cooling for the die casting processes 312
A.S. Sabau, Z. Wu

A basic approach for strain rate dependent energy conversion including heat transfer effects: An experimental and numerical study ... 319
L.W. Meyer, N. Herzig, T. Halle, F. Hahn, L. Krueger, K.P. Staudhammer

Study of the wear behaviour of Al–4.5% Cu–3.4% Fe in situ composite: Effect of thermal and mechanical processing 327
S. Ahmed, A.S.M.A. Haseeb, A.S.W. Kurny

Simulation of EPS foam decomposition in the lost foam casting process 333
X.J. Liu, S.H. Bhavnani, R.A. Overfelt

Role of processing parameters on microstructural evolution of spray formed Al–2Mg alloy and Al–2Mg–TiO_2 composite 343
S.K. Chaudhury, S.C. Panigrahi

Finite element simulations of the clinch joining of metallic sheets 352
A.A. de Paula, M.T.P. Aguilar, A.E.M. Pertence, P.R. Cetlin

Mineralogical phases formed by flux glasses in continuous casting mould 358
A. Cruz, F. Chávez, A. Romero, E. Palacios, V. Arredondo

Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing 363
D. Nagarajan, U. Chakkingal, P. Venugopal

Characterization on electron beam welds and parameters for AZ31B-F extrusive plates 369
C.-T. Chi, C.-G. Chao

The key technology and realization of virtual ring rolling 374
Z.W. Wang, S.Q. Zeng, X.H. Yang, C. Cheng

Synthesis of PZT nanocrystalline powder by a modified sol–gel process using water as primary solvent source 382
G. Mu, S. Yang, J. Li, M. Gu

An engineering-oriented embedded-atom-method potential fitting procedure for pure fcc and bcc metals 387
K. Narayan, K. Behdinan, Z. Fawaz

Evaluation of Atkins' model of ductile machining including the material separation component 398
S. Subbiah, S.N. Melkote

Effect of casting conditions on aluminium metal quality 405
D. Dispinar, J. Campbell

Numerical simulation of the pressure ram forming process 411
Y. Shi, P. Hamstra, R. Mallory, S.R. MacEwen, P.D. Wu

The use of Taguchi method in the design of plastic injection mould for reducing warpage 418
S.H. Tang, Y.J. Tan, S.M. Sapuan, S. Sulaiman, N. Ismail, R. Samin

Laser surface treatments of iron-based substrates for automotive application 427
J.H. Abboud, K.Y. Benyounis, A.G. Olabi, M.S.J. Hashmi

Study of alternative lubricants to the cold extrusion of steel shafts 432
C. Caminaga, F.O. Neves, F.C. Gentile, S.T. Button

Effect of microstructural inhomogeneities on texture evolution in 90-10 Brass sheets 440
M. Salari, A. Akbarzadeh

Effect of Al addition on phase purity of $Ti_3Si(Al)C_2$ synthesized by mechanical alloying 445
S. Jin, B. Liang, J.-F. Li, L. Ren

Study of fluxing temperature in molten aluminum refining process 450
O. Majidi, S.G. Shabestari, M.R. Aboutalebi

A short note on an intelligent system for selection of materials for progressive die components 456
S. Kumar, R. Singh

Influence of chromium on microstructure and sintering properties of FeNiMoCu system prealloyed powders 462
H. Chen, Y.Y. Li, Y.B. Liu, X.J. Cao

Water-based binder system for SOFC porous steel substrates 469
H. Kurokawa, G.Y. Lau, C.P. Jacobson, L.C. De Jonghe, S.J. Visco

Dependence of mechanical properties of polyamide components on build parameters in the SLS process 477
B. Caulfield, P.E. McHugh, S. Lohfeld

De-stabilization mechanism and *in situ* solidification of alumina slurry dispersed in silica sol 489
D. Kong, H. Yang, Y. Yang, S. Wei, J. Wang

Toward physical description of form and finish performance in dry belt finishing process by a tribo-energetic approach 498
M. El Mansori, E. Sura, P. Ghidossi, S. Deblaise, T. Dal Negro, H. Khanfir

Optimizing parison thickness for extrusion blow molding by hybrid method 512
G.-Q. Huang, H.-X. Huang

Ti transition zone on the interface between TiC and aluminum melt and its influence on melt viscosity 519
L. Yu, X. Liu

Modeling and analysis of the rapidly resolidified layer of SG cast iron in the EDM process through the response surface methodology 525
K.-T. Chiang, F.-P. Chang, D.-C. Tsai

Die design for the radial forging process using 3D FEM 534
A. Ghaei, M.R. Movahhedy

Influence of TiO_2 particles on recrystallization kinetics of Al–2Mg–TiO_2 composites 540
S.K. Chaudhury, S.C. Panigrahi

Effect of V addition on activation performances of $TiMn_{1.25}Cr_{0.25}$ hydrogen storage alloy 549
X.B. Yu, Z. Wu, Q.R. Chen, T. Dou, J.Z. Chen, B.J. Xia, N.X. Xu

An upper bound solution of ECAE process with outer curved corner 555
A.R. Eivani, A. Karimi Taheri

Effects of dispersion technique and component ratio on densification and microstructure of multi-component Cu-based metal powder in direct laser sintering 564
D. Gu, Y. Shen

On the influence of cutting speed limitation on the accuracy of wire-EDM corner-cutting 574
J.A. Sanchez, J.L. Rodil, A. Herrero, L.N.L. de Lacalle, A. Lamikiz

An experimental investigation on dimensional stability of injected wax patterns of gas turbine blades 580
S.A.M. Rezavand, A.H. Behravesh

Fabrication of high-power diesel engine crankshafts by electro-slag casting process 588
Z. Wang, J. Xu, G. Bao, J. Zhang, X. Fang, T. Liu

Properties of a gray cast iron with oriented graphite flakes 593
W. Wang, T. Jing, Y. Gao, G. Qiao, X. Zhao

An improved analytical approach for determination of forming limit diagrams considering the effects of yield functions 598
M. Ganjiani, A. Assempour

Failure analysis of stellite dies for brass extrusion: The effect of aging 608
L. Bourithis, V. Gontzes, G.D. Papadimitriou

Effect of evaporative pattern casting process parameters on the surface roughness of Al–7% Si alloy castings 615
S. Kumar, P. Kumar, H.S. Shan

Weldability of a 2205 duplex stainless steel using plasma arc welding 624
A. Ureña, E. Otero, M.V. Utrilla, C.J. Múnez

Study on the development method of panel parts with free form surface 632
Y. Guo, F. Li, H. Jiang, X. Wang

Finite element simulation and model optimization of blankholder gap and shell element type in the stamping of a washing-trough 637
L. Chen, J.C. Yang, L.W. Zhang, S.Y. Yuan

Effect of temperature of differential speed rolling on room temperature mechanical properties and texture in an AZ31 magnesium alloy 644
H. Watanabe, T. Mukai, K. Ishikawa

Author index 648

Subject index 650